

A Note on Non-Deterministic Communication Complexity with Few Witnesses

Vince Grolmusz ^{*} Gábor Tardos [†]

Abstract

We improve both main results of the paper “Non-Deterministic Communication Complexity with Few Witnesses” by M. Karchmer, I. Newman, M. Saks and A. Wigderson, appeared in JCSS Vol. 49, pp. 247-257.

1 Introduction

Randomness is an often studied resource in a wide variety of computation models. Non-determinism is another important computational resource: for example, the P vs. NP question addresses the power of non-determinism in Turing-machine computation. In communication games non-determinism is proven to be stronger than determinism (see [7], [5], [2]). Analogously to the study of the power of the bounded randomness, the study of the power of the bounded non-determinism has nice results [4] or [3]. In [4] Karchmer, Newman, Saks and Wigderson examined communication games with bounded non-determinism: for a positive integer k they introduced $n_k(f)$ the length of the shortest nondeterministic protocol for computing the function f subject to the condition that each input has at most k witnesses (defined below). They studied how this complexity measure relates to old measures such as the deterministic communication complexity and the rank of the communication matrix of the function f . For the exact statements of their results, see Theorems 3 and 4 below. In this note we prove a tighter relation between these quantities (Theorems 5 and 6) slightly improving on the earlier results.

1.1 Notation and Preliminaries

We follow the notations of [4]:

$\text{rk}(A)$ denotes the *rank* of matrix A over the complex numbers.

$\text{trk}(A)$ is the *triangular rank* of matrix A : the size of the largest non-singular lower triangular submatrix of A .

A *rectangle* is a rank-1 or rank-0 Boolean matrix. We say that a rectangle *covers* a position if its entry in that position is 1. Notice that the set of positions covered by a rectangle forms a submatrix. A set of rectangles R_1, R_2, \dots, R_t *covers* the Boolean matrix A if the matrix A and the matrix $\sum_{i=1}^t R_i$ has entry 0 exactly in the same positions.

^{*}Department of Computer Science, Eötvös University, Budapest, Pázmány P. stny. 1/C, H-1117 Budapest, Hungary; E-mail: grolmusz@cs.elte.hu

[†]Rényi Mathematical Institute of the Hungarian Academy of Science, Reáltanoda u. 13-15, H-1055 Budapest, Hungary; E-mail: tardos@renyi.hu

A rectangle-cover R_1, R_2, \dots, R_t is a k -cover if every entry of $\sum_{i=1}^t R_i$ is at most k . (Alternatively, any position is covered by at most k of the rectangles R_i .) Let $\kappa_k(A)$ denote the minimum cardinality of a k -cover of A .

Readers unfamiliar with the basic definitions in communication complexity are referred to the paper [4] or monographs [5] or [2]. We just list here the notations used in paper [4].

For a function $f : \{0, 1\}^u \times \{0, 1\}^u \rightarrow \{0, 1\}$, let M_f denote its $2^u \times 2^u$ communication-matrix: this matrix contains the value $f(x, y) \in \{0, 1\}$ in the intersection of the row, corresponded to x and the column, corresponded to y , where $x, y \in \{0, 1\}^n$. Let $c(f)$ denote the deterministic communication complexity of f , and let $n(f)$ denote its non-deterministic communication complexity.

Every non-deterministic communication protocol for computing f corresponds to a cover of M_f by rectangles [4], [1]. These rectangles are called *witnesses*. Let $n_k(f)$ denote the minimum complexity of a non-deterministic protocol, computing f such that every entry of M_f are covered by at most k rectangles (has at most k witnesses).

We need the following two results, the first from [4]:

Lemma 1 (KNSW) For $k \geq 1$ and if $\text{rk}(M_f) > 1$ we have $n_k(f) = \lceil \log \kappa_k(M_f) \rceil$.

□

The second result is the following Lemma of [6] Here \bar{f} denotes the complementary function of f , i.e., $\bar{f} = 1 - f$.

Lemma 2 (Lovász-Saks) $c(f) = O(n(f) \log(\text{trk}(M_{\bar{f}})))$.

□

2 Lower bounds for restricted non-deterministic complexity

Two different lower bounds were given in [4] for $n_k(f)$:

Theorem 3 (KNSW) For any function $f : X \times Y \rightarrow \{0, 1\}$ and integer $k \geq 1$:

$$n_k(f) = \Omega\left(\frac{\sqrt{c(f)}}{k}\right);$$

or, equivalently,

$$c(f) = O((kn_k(f))^2).$$

The other main result of paper [4] is the following

Theorem 4 (KNSW) For any non-zero function $f : X \times Y \rightarrow \{0, 1\}$ and integer $k \geq 1$,

$$n_k(f) \geq \frac{\log \text{rk}(M_f)}{k} - 1.$$

We prove here the following stronger bounds for $n_k(f)$. Our Theorem 5 improves Theorem 3:

Theorem 5 For any function $f : X \times Y \rightarrow \{0, 1\}$ and integer $k \geq 1$:

$$n_k(f) = \Omega \left(\sqrt{\frac{c(f)}{k}} \right);$$

or, equivalently,

$$c(f) = O(k(n_k(f))^2).$$

Our Theorem 6 tightens Theorem 4:

Theorem 6 For any function $f : X \times Y \rightarrow \{0, 1\}$ and integer $1 \leq k < \log \text{rk}(M_f)/2$,

$$n_k(f) \geq \frac{\log \text{rk}(M_f)}{k} + \log k - 2.$$

3 Proofs

Our improvement of Theorem 4 relies on the following improvement of a statement used by Karchmer, Newman, Saks and Wigderson (Lemma 1 in [4]):

Lemma 7 For any Boolean matrix A and positive integer k :

$$\text{rk}(A) \leq \binom{\kappa_k(A)}{1} + \binom{\kappa_k(A)}{2} + \cdots + \binom{\kappa_k(A)}{k}.$$

Proof: Consider a set of rectangles R_i . Observe that the intersection of the sets of positions covered by R_i is a (possibly empty) submatrix. We call the rectangle R covering exactly the positions in this intersection the *intersection* of the rectangles R_i .

Note also, that if a matrix M can be given as a linear combination of t rectangles, then $\text{rk}(M) \leq t$, simply by the sub-additivity of the rank function.

Now, let us consider matrix A , and its k -cover by $s = \kappa_k$ rectangles R_1, \dots, R_s . For a $K \subset \{1, 2, \dots, s\}$ let R_K denote the intersection of the rectangles R_i with $i \in K$.

From the inclusion-exclusion formula:

$$A = \sum_{K \subset \{1, 2, \dots, s\}, |K|=1} R_K - \sum_{K \subset \{1, 2, \dots, s\}, |K|=2} R_K + \cdots + (-1)^{k+1} \sum_{K \subset \{1, 2, \dots, s\}, |K|=k} R_K$$

The right-hand-side of this formula is a combination of $\binom{s}{1} + \cdots + \binom{s}{k}$ rectangles, thus the left-hand-side has rank $\text{rk}(A)$ bounded by this number, as claimed.

□

Proof of Theorem 6. Let $A = M_f$, and apply Lemma 7, with $s = \kappa_k(M_f)$:

$$\text{rk}(M_f) \leq \sum_{i=1}^k \binom{s}{i}.$$

Clearly, $\text{rk}(M_f) \leq 2^s$ follows, thus $k < s/2$. Now we use $\binom{s}{i} \leq \binom{s}{k} \leq \left(\frac{se}{k}\right)^k$. Taking logarithms, and applying Lemma 1 we get:

$$\log \text{rk}(M_f) \leq kn_k(f) - k \log k + 2k$$

as claimed.

□

Proof of Theorem 5.

If f is constant (i.e. 0 or 1), then – both deterministic, and non-deterministic – communication complexities of f are 0, so we are done. In what follows, we assume that f is non-constant.

For any $k \geq 1$, $n(f) \leq n_k(f)$, consequently, from Lemma 2:

$$c(f) = O(n(f) \log(\text{trk}(M_{\bar{f}}))) = O(n_k(f) \log(\text{trk}(M_{\bar{f}}))) = O(n_k(f) \log(\text{rk}(M_{\bar{f}}))).$$

However, since $M_{\bar{f}} = J - M_f$, where J is the all-1 matrix, the ranks of M_f and $M_{\bar{f}}$ may differ by at most 1. Consequently,

$$c(f) = O(n_k(f) \log(\text{rk}(M_f))) = O(kn_k^2),$$

where the last equation comes from Theorem 6.

References

- [1] A. AHO, J. D. ULLMAN, AND M. YANNAKAKIS, *On the notions of information transfer in VLSI circuits*, in Proc. 15th Ann. ACM Symp. Theor. Comput., 1983, pp. 151–158.
- [2] J. HROMKOVIČ, *Communication Complexity and Parallel Computing*, Springer-Verlag, 1997.
- [3] J. HROMKOVIC AND G. SCHNITGER, *Nondeterministic communication with a limited number of advice bits*, in Proceedings of the twenty-eighth annual ACM symposium on Theory of computing, ACM Press, 1996, pp. 551–560.
- [4] M. KARCHMER, I. NEWMAN, M. E. SAKS, AND A. WIGDERSON, *Non-deterministic communication complexity with few witness*, Journal of Computer and System Sciences, 49 (1994), pp. 247–257.
- [5] E. KUSHILEVITZ AND N. NISAN, *Communication Complexity*, Cambridge University Press, 1997.
- [6] L. LOVÁSZ AND M. SAKS, *Lattices, Möbius functions, and communication complexity*, in Proc. 29th Ann. IEEE Symp. Found. Comput. Sci., 1988, pp. 81–90.
- [7] A. C. YAO, *Some complexity questions related to distributed computing*, in Proc. 11th Ann. ACM Symp. Theor. Comput., 1979, pp. 209–213.